
THE BIG CYPRESS BASIN URBAN MOBILE IRRIGATION LAB

2018 4th Quarter & Annual Report

COLLIER SOIL AND WATER CONSERVATION DISTRICT NATURAL RESOURCES CONSERVATION SERVICE BIG CYPRESS BASIN



14700 Immokalee Rd Naples, Florida 34120 (239) 455-4100

Abstract

The Big Cypress Basin Urban Mobile Irrigation Lab (MIL) completed 35 evaluations for the fourth quarter of project year 2018. These evaluations produced Potential Water Savings (PWS) of 18.9 million gallons of water per year (58.1 acre-feet). Of the 35 evaluations, 4 were follow-up evaluations performed for Follow-Up Actual Water Savings (FAWS) of .75 million gallons of water per year (2.3 acre-feet). And with changes to the homeowners' controllers, the MIL had Immediate Actual Water Savings (IAWS) of 6.3 million gallons of water (19.3 acre-feet) just by reducing long run times and multiple programs on irrigation controllers. These are documented in Attachment #1. The follow-up evaluations with their original evaluations are documented in Attachment #2.

The Big Cypress Basin Urban Mobile Irrigation Lab will be acknowledged during evaluations and the numerous Rookery Bay Best Management Practices (BMP) training courses and the Waterwise and Other Irrigation Concepts course available to contractors of Collier County at Rookery Bay. The Big Cypress Basin Urban MIL has contacted Florida Gulf Coast University in efforts to conserve our natural resource and promote awareness of the MIL. The MIL also reaches the community through PowerPoint presentations and conservation expositions. The MIL is preparing an irrigation demonstration for the Annual Master Gardener Southwest Florida Yard and Garden Show.

Annual Summary

The Big Cypress Basin Urban Mobile Irrigation Lab completed 110 evaluations for the project year of 2018. The evaluations produced Potential Water Savings (PWS) of 74.4 million gallons of water per year (228.4 acre-feet). Of the 110 evaluations, 13 were follow-up evaluations. The follow-up evaluations produced a Follow-Up Actual Water Savings (FAWS) of 2.5 million gallons of water per year (7.8 acre-feet). And with changes to the homeowners' controllers, the MIL had Immediate Actual Water Savings (IAWS) of 37.2 million gallons of water per year (114.2 acre-feet) just by reducing long run times and multiple programs on irrigation controllers. The Big Cypress Basin Urban Mobile Irrigation Lab evaluated 102.2 acres of land in Fiscal Year 2108.

The Big Cypress Basin Urban Mobile Irrigation Lab Completed the following for Fiscal 2018:

- 110 evaluations
- 13 follow-up evaluations
- 2 Power Point Presentations
- Lakes Park Envirothon Work Station
- Citrus Exposition

Introduction

The Big Cypress Basin Urban Mobile Irrigation Lab's mission is to promote water conservation through on-site evaluations of irrigation systems and conservation education.

Evaluation Methods

There are three levels of evaluation: visual inspection; pressure and flow check; and the efficiency test. Visual inspections are conducted first to determine if the system is in disrepair or has poor coverage. If the system is found to be in poor condition, the other levels of evaluation are not carried out. Pressure and flow checks on individual sprinkler heads or emitters are conducted next. If pressure and flow are found to be uniform, a catch can test is performed to determine optimum run times for the zones in the system.

Common Problems

The average operator is unaware of watering restrictions and what the proper irrigation schedule should be for their lawn and landscape. Most systems evaluated this year were using municipal sources that are expensive to operate or dual systems that have limitations on usage. The main concerns were saving money and water. Most of the evaluations requested this year were from other customer referrals and MIL flyers. The Mobile Irrigation Lab and evaluation report gives system operators and managers a realistic view of what their systems can do and how to improve their systems to save water. The major problems were blocked sprinklers and wrong settings and times on the controllers. Homeowners often have multiple programs running and overlapping other programs. Many rain sensors are bypassed and set too high. Unmatched precipitation rates with rotors on the same zone as fixed sprinklers were found almost on every site. Residents have lawn and landscaping zones watering together and overwatering landscaping areas.

Conservation Education/Outreach

For the fourth quarter 2018, the Big Cypress Basin Urban Mobile Irrigation Lab presented an irrigation booth on August 15th & 16-th at the 2018 Florida Citrus Exposition held at the Lee County Civic Center. The Mobile Irrigation Lab presented the Best Management Practice Irrigation Module for 47 Collier County Contractors at Rookery Bay Estuary Center. These educational programs are documented in Attachment #3 with the annual education and outreach for fiscal year 2018.

Training

The training of the Master Gardeners in Collier County continues with conservation as the main objective around the Extension Office in Naples.

Attachment # 1: BCB MIL 2018 MIL ID: BCB FY: 2018 Qtr 14													
Zipcode	ID#	Acres	county ID	Soil	System Type	Crop	Water Source	₂ DU	Problems	₄PWS Ac-Ft	₅ FAWS Ac-Ft	₆ IAWS Ac-Ft	FU
34110	1	5.0	Collier	.8	Sprinkler	Turf	City	65	7,10,20,24,32,40,53,54,55	1.6	0.0	0.2	N
34145 34145	3	0.8	Collier Collier	.8 .8	Sprinkler Sprinkler	Turf Turf	City City	60 65	3,10,20,21,24,30,34,40,51,52,54,55 10,32,34,35,40,51,55	0.3 0.1	0.0	0.1 0.0	N N
34145 34145	<u>4</u> 5	0.3	Collier Collier	.8 .8	Sprinkler Sprinkler	Turf Turf	City City	60 70	10,20,21,23,32,34,35,40,52,54,55 3,10,32,40,50,52,54,55	0.3 6.4	0.0	0.2 6.0	N N
34145 34119	6 7	0.3	Collier Collier	.8 .8	Sprinkler Sprinkler	Turf Turf	City Rec/City	65 70	3,10,20,21,30,32,40,52,53,54,55 3,20,32,33,54,55	1.3 0.6	0.0	1.2 0.0	N
34145 34104	8	0.5 0.3	Collier Collier	.8 .8	Sprinkler Sprinkler	Turf Turf	City County	75 60	3,10,30,40,51,52,54,55 3,20,21,25,30,40,51,53,54,55	1.0 0.1	0.0	0.0	N N
34104 34145	10	0.3	Collier	.8	Sprinkler Sprinkler	Turf	County	65 75	3,10,20,21,32,40,50,53,54,55 3,10,51,54	0.1	0.0	0.1	N
34145	12	0.4	Collier	.8	Sprinkler	Turf	City	60	3,7,10,20,21,30,32,34,40,50,54,55	0.0	0.0	0.0 0.1 0.5	N N
34108 34104	14	0.3	Collier Collier	.8	Sprinkler Sprinkler	Turf Turf	City City	60 65	3,7,10,20,21,24,26,32,40,51,52,53,54,55 3,20,32,40,54	0.0	0.3	0.0	Y
34119 34120	15 16	0.3 1.0	Collier Collier	.8 .8	Sprinkler Sprinkler	Turf Turf	Reclaimed Lake	60 50	4,7,10,21,26,30,40,50,52,54,55 4,5,10,20,21,23,24,30,32,34,40,50,52,53,54,55	0.5 1.1	0.0	0.4 0.6	N
34104 34104	17 18	2.0 2.5	Collier Collier	.8 .8	Sprinkler Sprinkler	Turf Turf	Lake Lake	65 50	10,20,21,34,40,50,52,54,55 10,20,21,24,30,40,50,52,53,54,	1.9 4.3	0.0	0.0	N
34104 34104	19 20	2.0 0.5	Collier Collier	.8 .8	Sprinkler Sprinkler	Turf Turf	Lake Lake	65 65	10,20,21,24,34,50,52,54,55 10,21,32,34,40,50,52,53,54,55	4.4 1.7	0.0	2.7 1.3	N
34104 34145	21 22	0.1 0.3	Collier Collier	.8 .8	Sprinkler Sprinkler	Turf Turf	Lake City	75 70	21,50,52,53,54,55 10,32,34,53	0.5 0.0	0.0 0.2	0.0	N Y
34104 34117	23 24	0.3 2.0	Collier Collier	.8	Sprinkler Sprinkler	Turf Turf	County Well	65 65	3,10,20,21,26,32,40,52,53,54,55 10,20,21,30,32,40,52,53,54,55	0.4	0.0	0.4	N N
34145 34145	25 26	0.5	Collier	.8	Sprinkler Sprinkler	Turf Turf	City	50 50	10,21,24,31,32,40,50,52,54,55 3,6,7,10,20,21,22,25,30,32,52,53,54,55	1.1	0.0	0.9	N
34102	27	1.0	Collier	.8	Sprinkler	Turf	City	70	3,7,10,32,40,50,52,53,54,55	1.9	0.0	1.9	N
34113 34116	28 29	6.0 5.0	Collier Collier	.8 .8	Sprinkler Sprinkler	Turf Turf	City Lake	70 70	4,10,20,34,40,54,55 10,30,32,40,50,52,54,55	9.3 21.4	0.0	0.0	N N
34117 34145	30 31	1.5 0.3	Collier Collier	.8 .8	Sprinkler Sprinkler	Turf Turf	Well City	60 60	4,5,10,30,32,40,51,53,54,55 10,20,30,32,40,51,52,53,54,55	0.5 0.4	0.0	0.0	N
34145 34102	32 33	0.5 1.0	Collier Collier	.8 .8	Sprinkler Sprinkler	Turf Turf	City Reclaimed	65 70	3,10,20,21,32,40,53,54,55 3,10,20,34,52	1.1 0.0	0.0 2.5	0.8	N Y
34116 34145	34 35	5.0	Collier Collier	.8	Sprinkler Sprinkler	Turf Turf	Lake Reclaimed	70 70	3,10,30,32,40,50,52,54,55 3,10,20,21,40,50,52,53,54,55	1.1	0.0	0.0	N N
34145 34145	36 37	0.3	Collier	.8	Sprinkler Sprinkler	Turf Turf	City Reclaimed	65 70	3,10,20,32,40,50,52,54,55 3,10,40,50,52,53,54,55	1.1	0.0	0.9	N
34145	38	3.5 6.0	Collier	.8	Sprinkler	Turf	Reclaimed	70	3,10,52,53,54,55	11.6	0.0	8.6 14.0	N
34145 34113	40	0.3	Collier	.8	Sprinkler Sprinkler	Turf Turf	Reclaimed Reclaimed	70 60	3,10,20,21,40,52,53,54,55 4,7,10,20,22,23,30,40,50,52,53,54,55	0.5	0.0	0.1	N
34104 34113	41 42	0.3 1.5	Collier Collier	.8 .8	Sprinkler Sprinkler	Turf Turf	County Reclaimed	70 75	3,20,21,25,40,53 3,10,,20,21,40,50,52,54,55	0.0 7.2	0.1 0.0	0.0 5.7	N
34145 34113	43 44	0.3	Collier Collier	.8 .8	Sprinkler Sprinkler	Turf Turf	City Reclaimed	50 60	4,7,10,20,21,22,30,32,34,50,52,54,55 3,10,21,23,32,40,50,53,54,55	0.5 0.2	0.0	0.3	N
34113 34113	45 46	0.3 0.3	Collier Collier	.8 .8	Sprinkler Sprinkler	Turf Turf	Reclaimed Reclaimed	65 60	4,5,10,20,23,25,34,40,50,52,54,55 4,5,7,10,23,34,40,50,52,54,55	3.0 2.4	0.0	2.4 2.0	N
34103 34103	47 48	0.3	Collier Collier	.8 .8	Sprinkler Sprinkler	Turf Turf	County County	50 70	3,7,10,20,21,36,30,31,33,34,50,52,53,54,55 3,10,21,40,51,53,	0.5 0.0	0.0	0.0	N
34108 34145	49 50	0.3	Collier	.8	Sprinkler Sprinkler	Turf Turf	City Reclaimed	70 70	10,23,34,40,50,52,53,54,55 3,7,10,20,21,30,34,50,52,54,55	0.1	0.0	0.1 7.0	N
34145 34145	51 52	1.0	Collier	.8	Sprinkler	Turf Turf	Reclaimed Reclaimed	70 60	3,7,10,32,40,50,54,55	2.0	0.0	0.0	N
34145	53	0.3	Collier	.8	Sprinkler Sprinkler	Turf	City	75	7,10,20,21,23,25,32,40,50,53,54,55 10,40,51	0.0	0.5	0.0	Υ
34145 34145	54 55	0.3 0.3	Collier Collier	.8 .8	Sprinkler Sprinkler	Turf Turf	City City	50 65	4,7,8,10,20,21,22,23,32,34,51,54,55 7,10,23,32,40,52,53,54,55	0.0 0.1	0.0	0.0	N
34112 34112	56 57	0.3 1.0	Collier Collier	.8 .8	Sprinkler Sprinkler	Turf Turf	Well Well	65 60	7,10,23,32,40,50,52,53,54,55 3,7,10,20,21,24,32,34,40,50,52,54,55	0.9 1.2	0.0	0.3 0.6	N
34112 34122	58 59	1.0	Collier Collier	.8 .8	Sprinkler Sprinkler	Turf Turf	Well Well	60 60	3,7,10,20,21,24,32,40,50,52,54,55 3,7,10,20,21,23,24,32,34,40,50,52,54,55	0.6 1.1	0.0	0.1 0.6	N
34117 34145	60 61	0.5 0.3	Collier Collier	.8 .8	Sprinkler Sprinkler	Turf Turf	Well City	70 60	10,25,32,34,40,54 4,7,10,20,30,34,51,53,54,55	0.0 2.4	0.4	0.0 2.3	Y N
34102 34145	62	0.3	Collier	.8	Sprinkler Sprinkler	Turf Turf	City	65 55	7,10,20,21,23,32,34,40,51,52,53,54 10,23,24,26,30,32,34,40,51,52,53,54,55	0.2	0.0	0.1	N
34145 34145	64 65	0.4	Collier	.8	Sprinkler Sprinkler	Turf Turf	City	50 65	5,7,10,20,21,23,24,30,32,34,40,51,53,54,55 3,10,20,21,22,23,32,40,51,52,54,55	0.1	0.0	0.1	N
34110	66	1.0	Collier	.8	Sprinkler	Turf	City/Reclaim	65	3,4,5,7,10,31,34,40,50,52,54,55	1.9	0.0	1.1	N
34145 34104	67 68	0.3	Collier Collier	.8	Sprinkler Sprinkler	Turf Turf	City City	60 65	3,7,10,20,21,23,31,40,50,52,53,54,55 3,10,20,21,24,32,51,52,53,54,55	0.3 0.1	0.0	0.3 0.1	N N
34110 34110	69 70	0.5 0.5	Collier Collier	.8 .8	Sprinkler Sprinkler	Turf Turf	Lake Lake	70 70	10,24,32,40,50,52,54,55 7,10,24,32,40,50,52,54,55	0.3	0.0	0.0	N
34110 34145	71 72	0.3 0.5	Collier Collier	.8 .8	Sprinkler Sprinkler	Turf Turf	Lake City	70 65	10,24,31,32,40,50,52,54,55 3,10,21,32,40,51,52,53,54,55	0.5 0.5	0.0	0.0	N
34145 34104	73 74	0.3	Collier Collier	.8	Sprinkler Sprinkler	Turf Turf	City	65 75	3,10,23,32,40,50,52,54,55 3,10,40,51	1.7	0.0	1.4	N
31145 34145	75 76	0.5	Collier	.8	Sprinkler Sprinkler	Turf	City	70 65	10,20,24,40,50,52,54,55 3,10,20,21,32,40,52,54,55	1.0	0.0	0.6	N
34110 34110	77 78	0.3	Collier	.8	Sprinkler Sprinkler	Turf	Lake Lake	70 70	3.10.20.32.40.52.54.55 4.10.32,40.50,52,54,55	0.7	0.0	0.4 0.6 0.7	N
34145	79	0.5	Collier	.8	Sprinkler	Turf	City	60	3,7,10,20,22,23,26,32,34,40,50,52,54,55	1.5 0.8	0.0	1.4 0.4	N
34145 34110	80 81	0.3	Collier	.8	Sprinkler Sprinkler	Turf Turf	City Lake	50 60	3,10,20,21,23,30,32,35,40,50,52,54,55 8,10,25,32,40,50,52,54,55	0.7	0.0	0.5	N
34110 34110	82 83	0.3 0.3	Collier Collier	.8 .8	Sprinkler Sprinkler	Turf Turf	Lake Lake	65 65	3,7,10,21,40,50,52,54,55 3,7,10,32,40,50,52,54,55	0.6 0.9	0.0	0.4 0.7	N N
34110 34114	84 85	0.3 0.3	Collier Collier	.8 .8	Sprinkler Sprinkler	Turf Turf	Lake Lake	70 70	10,32,40,50,52,54,55 7,10,32,40,50,54,55	0.9	0.0	0.7 0.0	N N
34145 34110	86 87	0.5 0.3	Collier Collier	.8 .8	Sprinkler Sprinkler	Turf Turf	City Lake	75 60	10,24,40,50,52 4,5,10,32,40,50,52,54,55	0.0	0.4 0.0	0.0	Y N
34110 34145	88 89	0.3	Collier		Sprinkler Sprinkler	Turf	Lake City	65 70	10,21,32,40,50,52,54,55 3,10,32,40,50,52,54,55	0.9	0.0	0.7	N
34145 34112	90	0.3	Collier	.8	Sprinkler Sprinkler	Turf	City Well	75 60	3,10,32,40 3,10,32,40 4,5,7,10,21,23,30,40,52,54,55	0.2	1.6 0.0	0.0	Y
34112	92	1.0	Collier	.8	Sprinkler	Turf	Well	70	4,5,10,30,32,40,50,52,54,55	1.5	0.0	0.0	N
34112 34112	93 94	1.5 0.8	Collier	.8	Sprinkler Sprinkler	Turf Turf	Well Well	60 50	4,7,10,21,30,32,35,40,50,52,54,55 4,5,7,8,10,20,21,32,40,50,51,52,54,55	9.1	0.0	5.7 0.0	N
34112 34112	95 96	1.5 0.5	Collier Collier	.8 .8	Sprinkler Sprinkler	Turf Turf	Well Well	65 65	10,20,32,40,50,52,54,55 10,21,40,52,54,55	4.8 1.4	0.0	2.9 0.9	N N
34112 34112	97 98	0.8 1.0	Collier Collier	.8 .8	Sprinkler Sprinkler	Turf Turf	Well Well	65 65	4,10,21,31,32,40,52,54,55 4,5,21,40,50,52,54,55	2.3 3.4	0.0	1.4 1.1	N N
34112 34112	99 100	1.0	Collier	.8	Sprinkler Sprinkler	Turf Turf	Well	65 55	4,5,21,31,52,54,55 10,20,21,23,32,40,50,52,54,55	1.1	0.0	0.0	N
34112 34112	101 102	0.5	Collier	.8	Sprinkler Sprinkler	Turf	Well	65 60	10,20,21,40,50,52,54,55	0.7 0.7 7.1	0.0	0.0	N
34112	103	1.5	Collier	.8	Sprinkler	Turf	Lake	70	7,10,30,31,32,40,52,54,55	2.5	0.0	0.0	N
34112 34112	104 105	1.0	Collier	.8 .8	Sprinkler Sprinkler	Turf Turf	Lake Lake	65 65	4,7,10,25,30,31,32,52,54,55 7,10,25,30,31,32,50,52,54,55	4.0 5.0	0.0	0.0	N
34112 34145	106 107	1.0 0.3	Collier Collier	.8 .8	Sprinkler Sprinkler	Turf Turf	Lake City	70 65	10,31,40,53,54,55 4,7,10,20,21,23,40,54	1.3 0.0	0.0	0.0	N Y
34110 34112	108 109	0.5 1.0	Collier Collier	.8 .8	Sprinkler Sprinkler	Turf Turf	Lake Well	75 65	7,10,24,40,54 10,20,21,40,50,52,54,55	0.0 1.2	0.3 0.0	0.0 0.6	Y N
34145	110	0.3 102.2	Collier	.8	Sprinkler	Turf	City	70	3,10,20,21,32,40,51,52	0.1 228.4	0.0 7.8	0.0 114.2	N
		102.2		<u> </u>	<u>. </u>		<u>I</u>			220.4	1.0	114.2	

^{2.} Distrubution uniformity

^{4.} Potential Water Savings

^{5.} Follow up actual water savings 6. Instant actual water savings

Attachment #2 Original Evaluation and Follow up Tracking Table

MIL ID: BCB 2018 1st-4th Quarter

Yr	Qtr ID#	ID No#	Crop	EQIP	Acres	PWS ac-ft	FAWS ac-ft
2018	1	8	Turf	Sprinkler	0.5	1	0
2018	1	11	Turf	Sprinkler	0.5	0	1
2017	1	6	Turf	Sprinkler	0.3	0.27	0
2018	1	14	Turf	Sprinkler	0.3	0	0.25
2017	4	90	Turf	Sprinkler	0.3	0.2	0
2018	2	22	Turf	Sprinkler	0.3	0	0.2
2017	3	84	Turf	Sprinkler	1	4.05	0
2018	2	33	Turf	Sprinkler	1	0	2.48
2018	1	9	Turf	Sprinkler	0.3	0.07	0
2018	2	41	Turf	Sprinkler	0.3	0	0.07
2018	2	47	Turf	Sprinkler	0.25	0.46	0
2018	2	48	Turf	Sprinkler	0.25	0	0.58
2018	2	43	Turf	Sprinkler	0.3	0.49	0
2018	3	53	Turf	Sprinkler	0.3	0	0.53
2017	1	26	Turf	Sprinkler	0.5	1.2	
2018	3	60	Turf	Sprinkler	0.5	0	0.4
2018	3	65	Turf	Sprinkler	0.3	0.09	0
2018	3	74	Turf	Sprinkler	0.3	0	0.07
2018	3	75	Turf	Sprinkler	0.5	1	0
2018	4	86	Turf	Sprinkler	0.5	0	0.37
2018	3	73	Turf	Sprinkler	0.3	1.7	
2018	4	90	Turf	Sprinkler	0.3	0	1.6
2018	3	54	Turf	Sprinkler	0.3	0.025	0
2018	4	107	Turf	Sprinkler	0.3	0	0.025
2018	3	70	Turf	Sprinkler	0.5	0.29	0
2018	4	108	Turf	Sprinkler	0.5	0	0.3
Total							7.8

Mobile Irrigation Lab Conservation Education Report Attachment 3 Big Cypress Basin Urban Mobile Irrigation Lab $$1^{\rm st}$-4 th Quarter 2018$

DATE	Type of Presentation	NAME OF GROUP	NUMBER ATTENDING	LOCATION	Тіме
Dec 8 2017	Envirothon	School competition 21 schools	200	Lakes Park	9
Feb 13	Irrigation Training	Master Gardeners	5	IFAS Extension	4
May 10	Soil & Water Conservation	Association of Florida Conservation Districts (AFCD)	20	Labelle NRCS Field Station	4
May 11	Attended the Save our Water	US Sugar	450	Hyatt Hotel Estero Florida	5
Aug 15-16	Mobile Irrigation Lab Booth	Citrus Industry	1000	Lee County Civic Center	20
Aug 21	BMP Irrigation Module	Collier County Contractors	47	Rookery Bay Estuary Center	4

46- hours 1st-4th Quarter

Notes: Expositions are great opportunities for the mils to get familiarized with new products and new innovations in the irrigation industry and also outreach for partnerships and funding.

Appendix A Definitions

AWS and PWS Definitions

The goal of an irrigation evaluation is to determine the capacity and efficiency of an irrigation system. This information is then used to develop a sound Irrigation Management Plan in which, irrigation water is applied only when needed and only in amounts which can be fully utilized by healthy plants.

Properly managed irrigation is used to supplement natural rainfall. The amount of irrigation required annually is the Net Irrigation Requirement (NIR) and is defined as;

NIR = Crop water requirement – Effective rainfall

The efficiency of an irrigation system is defined in terms of Distribution Uniformity (DU) for sprinklers and Emission Uniformity (EU) for microirrigation. These terms are defined in the USDA-NRCS Irrigation Guide. These numbers, in the form of percentages, are used to calculate the run times of irrigation events. The annual water use of a properly managed irrigation system is;

Gross application = NIR/DU or EU

Potential Water Savings (PWS) – The total amount of irrigation water that can be saved annually by following the recommendations derived from an irrigation system evaluation.

 $PWS_{(management)}$ - The amount of irrigation water that can be saved annually by schedule changes (run time and frequency) alone.

PWS(man) = measured water use - projected water use

PWS(design) – The additional amount of irrigation water that can be saved annually by improving the performance of the system and readjusting the schedule.

NIR/DU(present) - NIR/DU(projected)

Actual Water Savings (AWS) - The total amount of water which is saved for a period of x years as a direct result of following the recommendations derived from an irrigation system evaluation.

Instant AWS can be achieved if repairs are made, resulting in quantifiable water savings or if the controller settings are adjusted (schedule change) at the time of the evaluation or when the report is delivered.

AWS schedule changes can be documented in person or by phone and AWS design and repairs can be documented by follow-up evaluations.

The following definitions and formulas are taken from the "Mobile Irrigation Laboratory Urban Irrigation Evaluation & Troubleshooting Training Manual" (Mickler1998).

1. Determine average application rate

Meter records water use in gallons

Where Average application rate = Inches per hour (iph)

Volume = Volume required for needle in water meter to make one

complete revolution (gal)

Area = Irrigated area (ft^2)

Time = Time required for needle in water meter to make one

complete revolution (s)

No water meter present

Where Flow rate = Gallons per minute (GPM)
Volume = Volume collected (ml)

Time = Time that water was collected (s)

2. Determine distribution uniformity

When DU = Distribution uniformity in percent

Low quarter average = Average volume in the 25% of cans that received the

least water (ml)

Total average = Average volume of all cans (ml)

3. Determine the effective application rate

Effective application rate = Average application rate x DU

4. Calculate operating time

Where *Watering time* = Suggested time that a zone should be operated (min)

Plant watering requirement = 0.5 or 0.25 depending on location (in)

Effective application rate = From step 3 (iph)

5. Determine water used per operating cycle

When used per operating cycle is calculated by the following equation:

$$Current\ usage = Flow\ rate\ x\ time$$

Where Current usage = Total water used for a given zone per irrigation cycle (gal)

Flow rate = Determined from equations below (gpm)

Time = Time a zone is operated during a scheduled irrigation cycle (min)

If water meter records units of gallons, use the following equation:

Where *Flow rate* = Flow through a particular zone (gpm)

Time = Time required for the needle on the meter to make one complete revolution(s)

If no water meter is present, determine the flow rate from each sprinkler within one zone and add them all together.

Where *Flow rate* = Gallons per minute (gpm)

Volume = Volume collected (ml)

Time = Time that water was collected

Appendix B Problem Descriptions

Problem Descriptions - Problems are irrigation system or management factors that limit irrigation system performance or efficiency. Problems are noted during the site visit, system evaluation, and/or through discussions with the operator.

Code	Description of Problems							
Pressure / Application Rate								
1	Under-sized pump for number and type of sprinkler heads or emitters							
2	Pressure loss between pump and sprinklers/emitters due to inadequate pipe size							
3	Higher pressure than manufacturer's specifications							
4	Lower pressure than manufacturer's specifications							
5	Low pressure due to water supply							
6	Different pressure between manifolds							
7	Small wetted area							
8	Application rate > soil infiltration rate (ponding)							
9	Air in pipelines							
10	Turf and landscape area irrigated in the same zone							
11	Pressure variation due to elevation differences							
	Emitters / Sprinklers							
20	Mixed sprinkler/emitter sizes & unmatched precipitation in the same zone							
21	Mixed sprinkler/emitter brands or types in the same zone							
22	Poor emitter/sprinkler uniformity due to worn orifice							
23	Poor overlap due to improper sprinkler/emitter alignment or spacing							
24	Various riser heights in same zone							
25	Emitter/sprinkler spacing varies in same zone							
26	Missing/malfunctioning emitters or sprinklers							
27	Missing/malfunctioning pressure gauge/regulator/filter							
	Maintenance – Irrigation System							
30	Leaks and broken valves, pipe, laterals lines (Poly-tubing), emitters, sprinklers							
31	Clogged filter or filter screen							
32	Sprinkler heads not properly adjusted, causing overflow on paved areas							
33	Clogged emitters/nozzles (due to biological, chemical or physical factors)							
34	Leaning sprinklers/emitters causing non-uniform distribution							
35	Malfunctioning valves							
	Maintenance – Landscape							
40	Stream of water blocked by vegetation							
41	Variable crop spacing and stage of growth							
42	Poor drainage, requiring water control							
	Operation / Management							
50	Operating time too long							
51	Operating time too short							
52	Operating time too frequent							
53	No rain shut-off device							
54	No soil moisture measuring device or rain gage							
55	No irrigation water management plan							

References

- 1. Anonymous. ????. National Engineering Hand book (NEH), part 652, Irrigation Guide.
- 2. Anonymous. 1998. Florida Irrigation Guide (USDA NRCS)
- 3. Belz, D. J., L. J. Carter, D. A. Dearstyne and J. D. Overing. 1990. Soil Survey of Hendry County, Florida. USDA SCS, Gainesville, FL.
- 4. Carter, L., D. Lewis, J. Vega, D. J. Belz, D. Prevost, K. Scalzone, J. Falkenburg, R Murphy, J. Engle, T.D'Avello, M. E. McFadden, and R. Jaros. 2000. Soil Survey of Glades County, Florida. USDA NRCS, Gainesville, FL.
- 5. Henderson, W. G. Jr., L. J. Carter, A. L. Moore, R. A. Stein, C. A. Wettstein, and H. Yamataki. 1984. Soil Survey of Charlotte County, Florida. USDA SCS, Gainesville, FL.
- 6. Henderson, W. G. Jr., L. J. Carter, A. L. Moore, R. A. Stein, C. A. Wettstein, and H. Yamataki. 1984. Soil Survey of Lee County, Florida. USDA SCS, Gainesville, FL.
- 7. Liudahl, K. H., D. J. Belz, L. Carey, R. W. Drew, S. Fisher, and R. Pate. 1998. Soil Survey of Collier County Area, Florida. USDA NRCS, Gainesville, FL.
- 8. McCollum, S. H., O.E. Cruz, L. T. Stem, W. T. Wittstruck, R. D. Ford, and F. C. Watts, 1978. Soil Survey of Palm Beach County Area, Florida. USDA SCS, Gainesville, FL.
- 9. McCollum, S. H., O.E. Cruz, D. J. Belz, L. J. Carter, and D. J. deFrancesco, 1981. Soil Survey of Martin County Area, Florida. USDA SCS, Gainesville, FL.
- 10. Mickler, J. C. 1998. Mobile Irrigation Laboratory Urban Irrigation Evaluation & Troubleshooting Training Manual. USDA NRCS, Gainesville, FL.
- 11. Noble, C. V., R. W. Drew, and J. D. Slabaugh. 1996. Soil Survey of Dade County Area, Florida. USDA NRCS, Gainesville, FL.
- 12. Pendleton, R. F. H. D, Dollar, L. Law, Jr., S. H. McCollum, and D. J. Belz. 1984. Soil Survey of Broward County, Florida Eastern Part. USDA SCS, Gainesville, FL.
- 13. Watts, F. C., D. L. Stanky, M. J. Jones, and R. H. Lisante. 1980. Soil Survey of St. Lucie County Area, Florida. USDA SCS, Gainesville, FL.
- 14. Zazueta, F.S., A. Brockway, L. Landrum, and B. McCarty, 1989. Turf Irrigation for the Home. Florida Cooperative Extension Service, IFAS, University of Florida Circular 839.

USDA Non Discrimination Statement

"The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, sexual orientation, and marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD).

To file a complaint of discrimination write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC, 20250-9410 or call (202) 720-5964 (voice or TDD). USDA is an equal opportunity provider and employer."